

9681844

L Number	Hits	Search Text	DB	Time stamp
1	52	((download\$ or transfer\$5 or obtain\$5 or receive\$5 or retrieve\$5 or load\$5) near3 (application or program or software or code or servlet or execut\$6 or portion or ((mobile or portable) near2 (application or program or software or code or servlet or execut\$6 or portion))) near5 (workstation or client or user or device or computer or cach\$5 or local\$5 or storage)) ) same ((download\$ or transfer\$5 or obtain\$5 or receive\$5 or retrieve\$5) near3 (logic or application or program or software or code or servlet or execut\$6 or portion) near5 (server or origin\$5 or remot\$5 or prox\$5)) same intercept\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/03 22:16
2	42	((download\$ or transfer\$5 or obtain\$5 or receive\$5 or retrieve\$5 or load\$5) near3 (application or program or software or code or servlet or execut\$6 or portion or ((mobile or portable) near2 (application or program or software or code or servlet or execut\$6 or portion))) near5 (workstation or client or user or device or computer or cach\$5 or local\$5 or storage)) ) same ((download\$ or transfer\$5 or obtain\$5 or receive\$5 or retrieve\$5) near3 (logic or application or program or software or code or servlet or execut\$6 or portion) near5 (server or origin\$5 or remot\$5 or prox\$5)) same intercept\$5) and intercept\$5 near5 (component or internal or device or module or handl\$5 or program or application or code)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/03 22:11
3	45	((download\$ or transfer\$5 or obtain\$5 or receive\$5 or retrieve\$5 or load\$5) near3 (application or program or software or code or servlet or execut\$6 or portion or ((mobile or portable) near2 (application or program or software or code or servlet or execut\$6 or portion))) near5 (workstation or client or user or device or computer or cach\$5 or local\$5 or storage)) ) same ((download\$ or transfer\$5 or obtain\$5 or receive\$5 or retrieve\$5) near3 (logic or application or program or software or code or servlet or execut\$6 or portion) near5 (server or origin\$5 or remot\$5 or prox\$5)) same intercept\$5) and intercept\$5 near5 (request\$5 or access\$5 or download\$5 or transfer\$5 or data)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/03 22:19

4	37	<p>(((((download\$ or transfer\$5 or obtain\$5 or receiv\$5 or retriev\$5 or load\$5) near3 (application or porgram or software or code or servlet or execut\$6 or portion or ((mobile or portable) near2 (application or porgram or software or code or servlet or execut\$6 or portion))) near5 (workstation or client or user or device or computer or cach\$5 or local\$5 or storage)) ) same ((download\$ or transfer\$5 or obtain\$5 or receiv\$5 or retriev\$5) near3 (logic or application or porgram or software or code or servlet or execut\$6 or portion) near5 (server or origin\$5 or remot\$5 or prox\$5)) same intercept\$5) and intercept\$5 near5 (component or internal or device or module or handl\$5 or program or application or code)) and (((((download\$ or transfer\$5 or obtain\$5 or receiv\$5 or retriev\$5 or load\$5) near3 (application or porgram or software or code or servlet or execut\$6 or portion or ((mobile or portable) near2 (application or porgram or software or code or servlet or execut\$6 or portion))) near5 (workstation or client or user or device or computer or cach\$5 or local\$5 or storage)) ) same ((download\$ or transfer\$5 or obtain\$5 or receiv\$5 or retriev\$5) near3 (logic or application or porgram or software or code or servlet or execut\$6 or portion) near5 (server or origin\$5 or remot\$5 or prox\$5)) same intercept\$5) and intercept\$5 near5 (request\$5 or access\$5 or download\$5 or transfer\$5 or data))</p>	<p>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</p>	<p>2004/01/03 22:10</p>
5	19	<p>(((((download\$ or transfer\$5 or obtain\$5 or receiv\$5 or retriev\$5 or load\$5) near3 (application or porgram or software or code or servlet or execut\$6 or portion or ((mobile or portable) near2 (application or porgram or software or code or servlet or execut\$6 or portion))) near5 (workstation or client or user or device or computer or cach\$5 or local\$5 or storage)) ) same ((download\$ or transfer\$5 or obtain\$5 or receiv\$5 or retriev\$5) near3 (logic or application or porgram or software or code or servlet or execut\$6 or portion) near5 (server or origin\$5 or remot\$5 or prox\$5)) same intercept\$5) and intercept\$5 near5 (request\$5 or access\$5 or download\$5 or transfer\$5 or data))</p>	<p>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</p>	<p>2004/01/03 22:11</p>
6	21	<p>(((((download\$ or transfer\$5 or obtain\$5 or receiv\$5 or retriev\$5 or load\$5) near3 (application or porgram or software or code or servlet or execut\$6 or portion or ((mobile or portable) near2 (application or porgram or software or code or servlet or execut\$6 or portion))) near5 (workstation or client or user or device or computer or cach\$5 or local\$5 or storage)) ) same ((download\$ or transfer\$5 or obtain\$5 or receiv\$5 or retriev\$5) near3 (logic or application or porgram or software or code or servlet or execut\$6 or portion) near5 (server or origin\$5 or remot\$5 or prox\$5)) same intercept\$5) and intercept\$5 with (cach\$5 or prox\$3)</p>	<p>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</p>	<p>2004/01/03 22:11</p>

7	20	((((download\$ or transfer\$5 or obtain\$5 or receiv\$5 or retriev\$5 or load\$5) near3 (application or porgram or software or code or servlet or execut\$6 or portion or ((mobile or portable) near2 (application or porgram or software or code or servlet or execut\$6 or portion))) near5 (workstation or client or user or device or computer or cach\$5 or local\$5 or storage)) ) same ((download\$ or transfer\$5 or obtain\$5 or receiv\$5 or retriev\$5) near3 (logic or application or porgram or software or code or servlet or execut\$6 or portion) near5 (server or origin\$5 or remot\$5 or prox\$5)) same intercept\$5) and intercept\$5 near5 (component or internal or device or module or handl\$5 or program or application or code)) and (((((download\$ or transfer\$5 or obtain\$5 or receiv\$5 or retriev\$5 or load\$5) near3 (application or porgram or software or code or servlet or execut\$6 or portion or ((mobile or portable) near2 (application or porgram or software or code or servlet or execut\$6 or portion))) near5 (workstation or client or user or device or computer or cach\$5 or local\$5 or storage)) ) same ((download\$ or transfer\$5 or obtain\$5 or receiv\$5 or retriev\$5) near3 (logic or application or porgram or software or code or servlet or execut\$6 or portion) near5 (server or origin\$5 or remot\$5 or prox\$5)) same intercept\$5) and intercept\$5 near5 (request\$5 or access\$5 or download\$5 or transfer\$5 or data))) and (((((download\$ or transfer\$5 or obtain\$5 or receiv\$5 or retriev\$5 or load\$5) near3 (application or porgram or software or code or servlet or execut\$6 or portion or ((mobile or portable) near2 (application or porgram or software or code or servlet or execut\$6 or portion))) near5 (workstation or client or user or device or computer or cach\$5 or local\$5 or storage)) ) same ((download\$ or transfer\$5 or obtain\$5 or receiv\$5 or retriev\$5) near3 (logic or application or porgram or software or code or servlet or execut\$6 or portion) near5 (server or origin\$5 or remot\$5 or prox\$5)) same intercept\$5) and intercept\$5 with (cach\$5 or prox\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/03 22:12
---	----	---	---	---------------------

8	22	((((download\$ or transfer\$5 or obtain\$5 or receiv\$5 or retriev\$5 or load\$5) near3 (application or porgram or software or code or servlet or execut\$6 or portion or ((mobile or portable) near2 (application or porgram or software or code or servlet or execut\$6 or portion))) near5 (workstation or client or user or device or computer or cach\$5 or local\$5 or storage)) ) same ((download\$ or transfer\$5 or obtain\$5 or receiv\$5 or retriev\$5) near3 (logic or application or porgram or software or code or servlet or execut\$6 or portion) near5 (server or origin\$5 or remot\$5 or prox\$5)) same intercept\$5) and intercept\$5 near5 (component or internal or device or module or handl\$5 or program or application or code)) not ((((((download\$ or transfer\$5 or obtain\$5 or receiv\$5 or retriev\$5 or load\$5) near3 (application or porgram or software or code or servlet or execut\$6 or portion or ((mobile or portable) near2 (application or porgram or software or code or servlet or execut\$6 or portion))) near5 (workstation or client or user or device or computer or cach\$5 or local\$5 or storage)) ) same ((download\$ or transfer\$5 or obtain\$5 or receiv\$5 or retriev\$5) near3 (logic or application or porgram or software or code or servlet or execut\$6 or portion) near5 (server or origin\$5 or remot\$5 or prox\$5)) same intercept\$5) and intercept\$5 near5 (component or internal or device or module or handl\$5 or program or application or code)) and (((((download\$ or transfer\$5 or obtain\$5 or receiv\$5 or retriev\$5 or load\$5) near3 (application or porgram or software or code or servlet or execut\$6 or portion or ((mobile or portable) near2 (application or porgram or software or code or servlet or execut\$6 or portion))) near5 (workstation or client or user or device or computer or cach\$5 or local\$5 or storage)) ) same ((download\$ or transfer\$5 or obtain\$5 or receiv\$5 or retriev\$5) near3 (logic or application or porgram or software or code or servlet or execut\$6 or portion) near5 (server or origin\$5 or remot\$5 or prox\$5)) same intercept\$5) and intercept\$5 near5 (request\$5 or access\$5 or download\$5 or transfer\$5 or data))) and (((((download\$ or transfer\$5 or obtain\$5 or receiv\$5 or retriev\$5 or load\$5) near3 (application or porgram or software or code or servlet or execut\$6 or portion or ((mobile or portable) near2 (application or porgram or software or code or servlet or execut\$6 or portion))) near5 (workstation or client or user or device or computer or cach\$5 or local\$5 or storage)) ) same ((download\$ or transfer\$5 or obtain\$5 or receiv\$5 or retriev\$5) near3 (logic or application or porgram or software or code or servlet or execut\$6 or portion) near5 (server or origin\$5 or remot\$5 or prox\$5)) same intercept\$5) and intercept\$5 with (cach\$5 or prox\$3)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/04 00:02
---	----	--	---	---------------------

9	8302	((download\$ or transfer\$5 or obtain\$5 or receiv\$5 or retriev\$5 or load\$5) near3 (application or porgram or software or code or servlet or execut\$6 or portion or ((mobile or portable) near2 (application or porgram or software or code or servlet or execut\$6 or portion))) near5 (workstation or client or user or device or computer or cach\$5 or local\$5 or storage)) ) same ((download\$ or transfer\$5 or obtain\$5 or receiv\$5 or retriev\$5) near3 (logic or application or porgram or software or code or servlet or execut\$6 or portion) near5 (server or origin\$5 or remot\$5 or prox\$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/03 22:17
10	256	(((((download\$ or transfer\$5 or obtain\$5 or receiv\$5 or retriev\$5 or load\$5) near3 (application or porgram or software or code or servlet or execut\$6 or portion or ((mobile or portable) near2 (application or porgram or software or code or servlet or execut\$6 or portion))) near5 (workstation or client or user or device or computer or cach\$5 or local\$5 or storage)) ) same ((download\$ or transfer\$5 or obtain\$5 or receiv\$5 or retriev\$5) near3 (logic or application or porgram or software or code or servlet or execut\$6 or portion) near5 (server or origin\$5 or remot\$5 or prox\$5)) ) and intercept\$5 near5 (request\$5 or access\$5 or download\$5 or transfer\$5 or data or application or program) with (component or internal or device or module or handl\$5 or program or application or code)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/03 22:22
11	2	(((((download\$ or transfer\$5 or obtain\$5 or receiv\$5 or retriev\$5 or load\$5) near3 (application or porgram or software or code or servlet or execut\$6 or portion or ((mobile or portable) near2 (application or porgram or software or code or servlet or execut\$6 or portion))) near5 (workstation or client or user or device or computer or cach\$5 or local\$5 or storage)) ) same ((download\$ or transfer\$5 or obtain\$5 or receiv\$5 or retriev\$5) near3 (logic or application or porgram or software or code or servlet or execut\$6 or portion) near5 (server or origin\$5 or remot\$5 or prox\$5)) ) and intercept\$5 near5 (request\$5 or access\$5 or download\$5 or transfer\$5 or data or application or program) with (component or internal or device or module or handl\$5 or program or application or code)) and intercept\$5 near5 internal	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/03 22:19

12	85	((((download\$ or transfer\$5 or obtain\$5 or receiv\$5 or retriev\$5 or load\$5) near3 (application or porgram or software or code or servlet or execut\$6 or portion or ((mobile or portable) near2 (application or porgram or software or code or servlet or execut\$6 or portion))) near5 (workstation or client or user or device or computer or cach\$5 or local\$5 or storage)) ) same ((download\$ or transfer\$5 or obtain\$5 or receiv\$5 or retriev\$5) near3 (logic or application or porgram or software or code or servlet or execut\$6 or portion) near5 (server or origin\$5 or remot\$5 or prox\$5)) ) and intercept\$5 near5 (request\$5 or access\$5 or download\$5 or transfer\$5 or data or application or program) with (component or internal or device or module or handl\$5 or program or application or code)) and intercept\$5 with (redirect\$5 or rout\$3 or rerout\$5 or pass\$5) with (reques\$5 or access\$5 or receiv\$5 or download\$5 or transfer\$5 or application)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/03 22:24
13	69	((((download\$ or transfer\$5 or obtain\$5 or receiv\$5 or retriev\$5 or load\$5) near3 (application or porgram or software or code or servlet or execut\$6 or portion or ((mobile or portable) near2 (application or porgram or software or code or servlet or execut\$6 or portion))) near5 (workstation or client or user or device or computer or cach\$5 or local\$5 or storage)) ) same ((download\$ or transfer\$5 or obtain\$5 or receiv\$5 or retriev\$5) near3 (logic or application or porgram or software or code or servlet or execut\$6 or portion) near5 (server or origin\$5 or remot\$5 or prox\$5)) ) and intercept\$5 near5 (request\$5 or access\$5 or download\$5 or transfer\$5 or data or application or program) with (component or internal or device or module or handl\$5 or program or application or code)) and intercept\$5 with (redirect\$5 or rout\$3 or rerout\$5 or pass\$5) with (reques\$5 or access\$5 or receiv\$5 or download\$5 or transfer\$5 or application) and intercept\$5 near5 (redirect\$5 or rout\$3 or rerout\$5 or pass\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/03 22:25

14	29	<p>(((((((download\$ or transfer\$5 or obtain\$5 or receiv\$5 or retriev\$5 or load\$5) near3 (application or porgram or software or code or servlet or execut\$6 or portion or ((mobile or portable) near2 (application or porgram or software or code or servlet or execut\$6 or portion))) near5 (workstation or client or user or device or computer or cach\$5 or local\$5 or storage)) ) same ((download\$ or transfer\$5 or obtain\$5 or receiv\$5 or retriev\$5) near3 (logic or application or porgram or software or code or servlet or execut\$6 or portion) near5 (server or origin\$5 or remot\$5 or prox\$5)) ) and intercept\$5 near5 (request\$5 or access\$5 or download\$5 or transfer\$5 or data or application or program) with (component or internal or device or module or handl\$5 or program or application or code)) and intercept\$5 with (redirect\$5 or rout\$3 or rerout\$5 or pass\$5) with (reques\$5 or access\$5 or receiv\$5 or download\$5 or transfer\$5 or application)) and intercept\$5 near5 (redirect\$5 or rout\$3 or rerout\$5 or pass\$5) ) and cach\$5 near5 (application or program or code or servlet or execut\$5 or software)</p>	<p>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</p>	<p>2004/01/03 22:25</p>
15	55	<p>(((((((download\$ or transfer\$5 or obtain\$5 or receiv\$5 or retriev\$5 or load\$5) near3 (application or porgram or software or code or servlet or execut\$6 or portion or ((mobile or portable) near2 (application or porgram or software or code or servlet or execut\$6 or portion))) near5 (workstation or client or user or device or computer or cach\$5 or local\$5 or storage)) ) same ((download\$ or transfer\$5 or obtain\$5 or receiv\$5 or retriev\$5) near3 (logic or application or porgram or software or code or servlet or execut\$6 or portion) near5 (server or origin\$5 or remot\$5 or prox\$5)) ) and intercept\$5 near5 (request\$5 or access\$5 or download\$5 or transfer\$5 or data or application or program) with (component or internal or device or module or handl\$5 or program or application or code)) and intercept\$5 with (redirect\$5 or rout\$3 or rerout\$5 or pass\$5) with (reques\$5 or access\$5 or receiv\$5 or download\$5 or transfer\$5 or application)) and intercept\$5 near5 (redirect\$5 or rout\$3 or rerout\$5 or pass\$5) ) and execut\$5 near5 (application or program or code or servlet or execut\$5 or software)</p>	<p>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</p>	<p>2004/01/03 22:26</p>

16	23	(((((((download\$ or transfer\$5 or obtain\$5 or receiv\$5 or retriev\$5 or load\$5) near3 (application or porgram or software or code or servlet or execut\$6 or portion or ((mobile or portable) near2 (application or porgram or software or code or servlet or execut\$6 or portion))) near5 (workstation or client or user or device or computer or cach\$5 or local\$5 or storage)) ) same ((download\$ or transfer\$5 or obtain\$5 or receiv\$5 or retriev\$5) near3 (logic or application or porgram or software or code or servlet or execut\$6 or portion) near5 (server or origin\$5 or remot\$5 or prox\$5)) ) and intercept\$5 near5 (request\$5 or access\$5 or download\$5 or transfer\$5 or data or application or program) with (component or internal or device or module or handl\$5 or program or application or code)) and intercept\$5 with (redirect\$5 or rout\$3 or rerout\$5 or pass\$5) with (reques\$5 or access\$5 or receiv\$5 or download\$5 or transfer\$5 or application)) and intercept\$5 near5 (redirect\$5 or rout\$3 or rerout\$5 or pass\$5) ) and cach\$5 near5 (application or program or code or servlet or execut\$5 or software)) and (((((((download\$ or transfer\$5 or obtain\$5 or receiv\$5 or retriev\$5 or load\$5) near3 (application or porgram or software or code or servlet or execut\$6 or portion or ((mobile or portable) near2 (application or porgram or software or code or servlet or execut\$6 or portion))) near5 (workstation or client or user or device or computer or cach\$5 or local\$5 or storage)) ) same ((download\$ or transfer\$5 or obtain\$5 or receiv\$5 or retriev\$5) near3 (logic or application or porgram or software or code or servlet or execut\$6 or portion) near5 (server or origin\$5 or remot\$5 or prox\$5)) ) and intercept\$5 near5 (request\$5 or access\$5 or download\$5 or transfer\$5 or data or application or program) with (component or internal or device or module or handl\$5 or program or application or code)) and intercept\$5 with (redirect\$5 or rout\$3 or rerout\$5 or pass\$5) with (reques\$5 or access\$5 or receiv\$5 or download\$5 or transfer\$5 or application)) and intercept\$5 near5 (redirect\$5 or rout\$3 or rerout\$5 or pass\$5) ) and execut\$5 near5 (application or program or code or servlet or execut\$5 or software))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/03 22:27
----	----	---	---	---------------------



-	1	((("6507867").PN.) and (execut\$5 or download\$5 or load\$5 or request\$5 or access\$5 or servic\$5 or provid\$5 or interact\$5) near3 (local\$5 or cach\$5 or offline or off?line) with (storage or memory or drive or web or application or program or softwar\$3 or execut\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/02 20:47
-	98388	((download\$ or transfer\$5 or obtain\$5 or receiv\$5 or retriev\$5 or load\$5) near3 (application or porgram or software or code or servlet or execut\$6 or portion or ((mobile or portable) near2 (application or porgram or software or code or servlet or execut\$6 or portion))) near5 (workstation or client or user or device or computer or cach\$5 or local\$5 or storage))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/02 23:41
-	8302	((download\$ or transfer\$5 or obtain\$5 or receiv\$5 or retriev\$5 or load\$5) near3 (application or porgram or software or code or servlet or execut\$6 or portion or ((mobile or portable) near2 (application or porgram or software or code or servlet or execut\$6 or portion))) near5 (workstation or client or user or device or computer or cach\$5 or local\$5 or storage)) ) same ((download\$ or transfer\$5 or obtain\$5 or receiv\$5 or retriev\$5) near3 (logic or application or porgram or software or code or servlet or execut\$6 or portion) near5 (server or origin\$5 or remot\$5 or prox\$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/03 22:02
-	19	((download\$ or transfer\$5 or obtain\$5 or receiv\$5 or retriev\$5 or load\$5) near3 (application or porgram or software or code or servlet or execut\$6 or portion or ((mobile or portable) near2 (application or porgram or software or code or servlet or execut\$6 or portion))) near5 (workstation or client or user or device or computer or cach\$5 or local\$5 or storage)) ) same ((download\$ or transfer\$5 or obtain\$5 or receiv\$5 or retriev\$5) near3 (logic or application or porgram or software or code or servlet or execut\$6 or portion) near5 (server or origin\$5 or remot\$5 or prox\$5)) ) same (download\$ or transfer\$5 or obtain\$5 or receiv\$5 or retriev\$5 or load\$5) near3 (logic or application or porgram or software or code or servlet or execut\$6) near5 portion near5 (local\$3 or cach\$5 or server or origin\$5 or remot\$5) near5 stor\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/02 23:47

-	1	<p>(((((download\$ or transfer\$5 or obtain\$5 or receiv\$5 or retriev\$5 or load\$5) near3 (application or porgram or software or code or servlet or execut\$6 or portion or ((mobile or portable) near2 (application or porgram or software or code or servlet or execut\$6 or portion))) near5 (workstation or client or user or device or computer or cach\$5 or local\$5 or storage)) ) same ((download\$ or transfer\$5 or obtain\$5 or receiv\$5 or retriev\$5) near3 (logic or application or porgram or software or code or servlet or execut\$6 or portion) near5 (server or origin\$5 or remot\$5 or prox\$5)) ) same (download\$ or transfer\$5 or obtain\$5 or receiv\$5 or retriev\$5 or load\$5) near3 (logic or application or porgram or software or code or servlet or execut\$6) near5 portion near5 (local\$3 or cach\$5 or server or origin\$5 or remot\$5) near5 stor\$5) and (request\$5 or access\$5 or download\$ or transfer\$5 or obtain\$5 or receiv\$5 or retriev\$5 or load\$5) near3 (transaction or logic or application or porgram or software or code or servlet or execut\$6) with transaction</p>	<p>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</p>	<p>2004/01/02 23:49</p>
-	2	<p>(((((download\$ or transfer\$5 or obtain\$5 or receiv\$5 or retriev\$5 or load\$5) near3 (application or porgram or software or code or servlet or execut\$6 or portion or ((mobile or portable) near2 (application or porgram or software or code or servlet or execut\$6 or portion))) near5 (workstation or client or user or device or computer or cach\$5 or local\$5 or storage)) ) same ((download\$ or transfer\$5 or obtain\$5 or receiv\$5 or retriev\$5) near3 (logic or application or porgram or software or code or servlet or execut\$6 or portion) near5 (server or origin\$5 or remot\$5 or prox\$5)) ) same (download\$ or transfer\$5 or obtain\$5 or receiv\$5 or retriev\$5 or load\$5) near3 (logic or application or porgram or software or code or servlet or execut\$6) near5 portion near5 (local\$3 or cach\$5 or server or origin\$5 or remot\$5) near5 stor\$5) and (request\$5 or access\$5 or download\$ or transfer\$5 or obtain\$5 or receiv\$5 or retriev\$5 or load\$5 or application or program or data) with transaction</p>	<p>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</p>	<p>2004/01/02 23:55</p>

17	6	<p> (((((((download\$ or transfer\$5 or obtain\$5 or receiv\$5 or retriev\$5 or load\$5) near3 (application or porgram or software or code or servlet or execut\$6 or portion or ((mobile or portable) near2 (application or porgram or software or code or servlet or execut\$6 or portion))) near5 (workstation or client or user or device or computer or cach\$5 or local\$5 or storage)) ) same ((download\$ or transfer\$5 or obtain\$5 or receiv\$5 or retriev\$5) near3 (logic or application or porgram or software or code or servlet or execut\$6 or portion) near5 (server or origin\$5 or remot\$5 or prox\$5)) ) and intercept\$5 near5 (request\$5 or access\$5 or download\$5 or transfer\$5 or data or application or program) with (component or internal or device or module or handl\$5 or program or application or code)) and intercept\$5 with (redirect\$5 or rout\$3 or rerout\$5 or pass\$5) with (reques\$5 or access\$5 or receiv\$5 or download\$5 or transfer\$5 or application)) and intercept\$5 near5 (redirect\$5 or rout\$3 or rerout\$5 or pass\$5) ) and cach\$5 near5 (application or program or code or servlet or execut\$5 or software)) not ((((((((((download\$ or transfer\$5 or obtain\$5 or receiv\$5 or retriev\$5 or load\$5) near3 (application or porgram or software or code or servlet or execut\$6 or portion or ((mobile or portable) near2 (application or porgram or software or code or servlet or execut\$6 or portion))) near5 (workstation or client or user or device or computer or cach\$5 or local\$5 or storage)) ) same ((download\$ or transfer\$5 or obtain\$5 or receiv\$5 or retriev\$5) near3 (logic or application or porgram or software or code or servlet or execut\$6 or portion) near5 (server or origin\$5 or remot\$5 or prox\$5)) ) and intercept\$5 near5 (request\$5 or access\$5 or download\$5 or transfer\$5 or data or application or program) with (component or internal or device or module or handl\$5 or program or application or code)) and intercept\$5 with (redirect\$5 or rout\$3 or rerout\$5 or pass\$5) with (reques\$5 or access\$5 or receiv\$5 or download\$5 or transfer\$5 or application)) and intercept\$5 near5 (redirect\$5 or rout\$3 or rerout\$5 or pass\$5) ) and cach\$5 near5 (application or program or code or servlet or execut\$5 or software)) and ((((((((((download\$ or transfer\$5 or obtain\$5 or receiv\$5 or retriev\$5 or load\$5) near3 (application or porgram or software or code or servlet or execut\$6 or portion or ((mobile or portable) near2 (application or porgram or software or code or servlet or execut\$6 or portion))) near5 (workstation or client or user or device or computer or cach\$5 or local\$5 or storage)) ) same ((download\$ or transfer\$5 or obtain\$5 or receiv\$5 or retriev\$5) near3 (logic or application or porgram or software or code or servlet or execut\$6 or portion) near5 (server or origin\$5 or remot\$5 or prox\$5)) ) and intercept\$5 near5 (request\$5 or access\$5 or download\$5 or transfer\$5 or data or application or program) with (component or internal or device or module or handl\$5 or program or application or </p>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/03 22:36
Search History	1/4101121163 AM Page 9	of download\$5 or transfer\$5 or data or application or program) with (component or internal or device or module or handl\$5 or program or application or		

18	4	((((((((download\$ or transfer\$5 or obtain\$5 or receiv\$5 or retriev\$5 or load\$5) near3 (application or porgram or software or code or servlet or execut\$6 or portion or ((mobile or portable) near2 (application or porgram or software or code or servlet or execut\$6 or portion))) near5 (workstation or client or user or device or computer or cach\$5 or local\$5 or storage)) ) same ((download\$ or transfer\$5 or obtain\$5 or receiv\$5 or retriev\$5) near3 (logic or application or porgram or software or code or servlet or execut\$6 or portion) near5 (server or origin\$5 or remot\$5 or prox\$5)) ) and intercept\$5 near5 (request\$5 or access\$5 or download\$5 or transfer\$5 or data or application or program) with (component or internal or device or module or handl\$5 or program or application or code)) and intercept\$5 with (redirect\$5 or rout\$3 or rerout\$5 or pass\$5) with (reques\$5 or access\$5 or receiv\$5 or download\$5 or transfer\$5 or application)) and intercept\$5 near5 (redirect\$5 or rout\$3 or rerout\$5 or pass\$5) ) and cach\$5 near5 (application or program or code or servlet or execut\$5 or software)) not (((((((((((download\$ or transfer\$5 or obtain\$5 or receiv\$5 or retriev\$5 or load\$5) near3 (application or porgram or software or code or servlet or execut\$6 or portion or ((mobile or portable) near2 (application or porgram or software or code or servlet or execut\$6 or portion))) near5 (workstation or client or user or device or computer or cach\$5 or local\$5 or storage)) ) same ((download\$ or transfer\$5 or obtain\$5 or receiv\$5 or retriev\$5) near3 (logic or application or porgram or software or code or servlet or execut\$6 or portion) near5 (server or origin\$5 or remot\$5 or prox\$5)) ) and intercept\$5 near5 (request\$5 or access\$5 or download\$5 or transfer\$5 or data or application or program) with (component or internal or device or module or handl\$5 or program or application or code)) and intercept\$5 with (redirect\$5 or rout\$3 or rerout\$5 or pass\$5) with (reques\$5 or access\$5 or receiv\$5 or download\$5 or transfer\$5 or application)) and intercept\$5 near5 (redirect\$5 or rout\$3 or rerout\$5 or pass\$5) ) and cach\$5 near5 (application or program or code or servlet or execut\$5 or software)) and (((((((((((download\$ or transfer\$5 or obtain\$5 or receiv\$5 or retriev\$5 or load\$5) near3 (application or porgram or software or code or servlet or execut\$6 or portion or ((mobile or portable) near2 (application or porgram or software or code or servlet or execut\$6 or portion))) near5 (workstation or client or user or device or computer or cach\$5 or local\$5 or storage)) ) same ((download\$ or transfer\$5 or obtain\$5 or receiv\$5 or retriev\$5) near3 (logic or application or porgram or software or code or servlet or execut\$6 or portion) near5 (server or origin\$5 or remot\$5 or prox\$5)) ) and intercept\$5 near5 (request\$5 or access\$5 or download\$5 or transfer\$5 or data or application or program) with (component or internal or device or module or handl\$5 or program or application or	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/03 22:38
Search History	1/17/2004 12:16:39 AM Page 19	of download\$5 or transfer\$5 or data or application or program) with (component or internal or device or module or handl\$5 or program or application or		

19	4	((((((((download\$ or transfer\$5 or obtain\$5 or receiv\$5 or retriev\$5 or load\$5) near3 (application or porgram or software or code or servlet or execut\$6 or portion or ((mobile or portable) near2 (application or porgram or software or code or servlet or execut\$6 or portion))) near5 (workstation or client or user or device or computer or cach\$5 or local\$5 or storage)) ) same ((download\$ or transfer\$5 or obtain\$5 or receiv\$5 or retriev\$5) near3 (logic or application or porgram or software or code or servlet or execut\$6 or portion) near5 (server or origin\$5 or remot\$5 or prox\$5)) ) and intercept\$5 near5 (request\$5 or access\$5 or download\$5 or transfer\$5 or data or application or program) with (component or internal or device or module or handl\$5 or program or application or code)) and intercept\$5 with (redirect\$5 or rout\$3 or rerout\$5 or pass\$5) with (reques\$5 or access\$5 or receiv\$5 or download\$5 or transfer\$5 or application)) and intercept\$5 near5 (redirect\$5 or rout\$3 or rerout\$5 or pass\$5) ) and cach\$5 near5 (application or program or code or servlet or execut\$5 or software)) not (((((((((((download\$ or transfer\$5 or obtain\$5 or receiv\$5 or retriev\$5 or load\$5) near3 (application or porgram or software or code or servlet or execut\$6 or portion or ((mobile or portable) near2 (application or porgram or software or code or servlet or execut\$6 or portion))) near5 (workstation or client or user or device or computer or cach\$5 or local\$5 or storage)) ) same ((download\$ or transfer\$5 or obtain\$5 or receiv\$5 or retriev\$5) near3 (logic or application or porgram or software or code or servlet or execut\$6 or portion) near5 (server or origin\$5 or remot\$5 or prox\$5)) ) and intercept\$5 near5 (request\$5 or access\$5 or download\$5 or transfer\$5 or data or application or program) with (component or internal or device or module or handl\$5 or program or application or code)) and intercept\$5 with (redirect\$5 or rout\$3 or rerout\$5 or pass\$5) with (reques\$5 or access\$5 or receiv\$5 or download\$5 or transfer\$5 or application)) and intercept\$5 near5 (redirect\$5 or rout\$3 or rerout\$5 or pass\$5) ) and cach\$5 near5 (application or program or code or servlet or execut\$5 or software)) and (((((((((((download\$ or transfer\$5 or obtain\$5 or receiv\$5 or retriev\$5 or load\$5) near3 (application or porgram or software or code or servlet or execut\$6 or portion or ((mobile or portable) near2 (application or porgram or software or code or servlet or execut\$6 or portion))) near5 (workstation or client or user or device or computer or cach\$5 or local\$5 or storage)) ) same ((download\$ or transfer\$5 or obtain\$5 or receiv\$5 or retriev\$5) near3 (logic or application or porgram or software or code or servlet or execut\$6 or portion) near5 (server or origin\$5 or remot\$5 or prox\$5)) ) and intercept\$5 near5 (request\$5 or access\$5 or download\$5 or transfer\$5 or data or application or program) with (component or internal or device or module or handl\$5 or program or application or	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/03 22:38
Search History	1/2004-12-16 3:39 AM Page 11	of download\$5 or transfer\$5 or data or application or program) with (component or internal or device or module or handl\$5 or program or application or		

20	2	("20020138640").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/04 00:02
----	---	---------------------	---	---------------------